

# **Brochure**

# Vertiv<sup>™</sup> EnergyCore Grid

Utility-scale energy storage for mission-critical businesses seeking to improve operational stability, increase use of renewables, and reduce cost.





Vertiv<sup>™</sup> EnergyCore Grid is a battery energy storage system that provides grid stability and energy flexibility to enhance reliable operation for demanding commercial and industrial applications.

# Bringing greater control to mission-critical power operations

Mission-critical businesses need continuous power flow to support vital operations. These organizations include hyperscalers and cloud services companies, digital service providers, hospital systems, manufacturers, utilities, and more. Facilities and power management teams at these organizations seek to increase their clarity into – and control over – their power network and energy usage, thereby enhancing operational reliability.

The Vertiv EnergyCore Grid utilizes UL9540A lithium-ion batteries to deliver utility-scale energy storage, functioning as an always-on power supply. This system enables facilities and power management teams to smooth out power usage and seamlessly transition to battery-enabled power whenever needed. Consequently, organizations can continuously reduce operational expenses, such as peak demand charges, and engage in energy arbitrage and other services to enhance profitability.

Vertiv EnergyCore Grid is available with an optional integrated energy management system that provides intelligent controls, enabling ancillary services. Organizations gain greater control over how traditional and renewable energy is captured, stored, and used. As a result, they can sell energy back to the grid, creating new revenue streams.

# Vertiv EnergyCore Grid BESS solution benefits

### Easily configure the solution:

The Vertiv EnergyCore Grid features a modular architecture, allowing customers to configure components from prequalified Tier 1 suppliers to meet their specific requirements. Organizations can tailor their system for particular applications by purchasing the optional Vertiv<sup>™</sup> Energy Management System (EMS) and optimizing its dispatch algorithms.

# Gain a highly scalable design for energy storage:

Vertiv EnergyCore Grid brings repeatability and predictability to large energy storage deployments. The scalable design makes it more efficient to permit projects and delivery and deploy systems, reducing implementation risks. Maintaining consistency across project locations also simplifies worker training, daily operations, and solution maintenance.

# Common applications include:

- Peak shaving, and load shifting.
- Ancillary services (voltage and frequency).
- Integrating renewable energy sources.
- Spinning reserve UPS style.
- Enhancing utility transmission and distribution reliability.
- Microgrid support.

# Reduce risks with safety features:

Vertiv EnergyCore Grid is equipped with comprehensive safety features. Its factory-built design delivers consistent quality controls that enhance worker safety.

Built at state-of-the-art facilities, the Vertiv EnergyCore Grid is integrated with our Vertiv EMS to optimize its applications. With decades of experience, we are the partner of choice for mission-critical businesses seeking to develop energy storage capabilities for grid power continuity.



# **Vertiv offers:**

- Scalable energy storage building blocks: 4-5 MW that can scale up to more than 100 MW of power output.
- Intelligent energy controls.
- Fast procurement and contracting process.
- Simple system design, engineering, and permitting.
- Rapid delivery, and commissioning.
- The latest safety features.

# **Technical specifications**

|                            | System Specifications   |
|----------------------------|---|
| Rated AC power (50°C)      | Project sizes starting at 4MW   |
| Discharge duration         | 1 – 4 hours, typical for LFP due to costs   |
| Grid frequency             | 50 Hz and 60 Hz   |
| Reactive power             | Four-quadrant control, 0.8 leading to 0.8 lagging<br>at rated power (reactive capability available over full real<br>power range) * |
| Efficiency                 | 98.7% round-trip efficiency (excluding transformer)   |
| Availability               | >99%  |
| Altitude                   | >4000 m (with derating)   |
| Seismic rating             | Seismic options available   |
| System response time       | Max capacity change in 2 ms   |
| Standard temperature range | -40°C to 60°C   |

#### **Power Conversion System (PCS)**

| Dimensions (H x W x D) | 107.7 x 139.5 x 92.1 in / 2735 x 3543 x 2339 mm |
|------------------------|---|
| Weight                 | 6620 - 7500 lb / 3003 - 3402 kg                 |

| Battery Cabinet        |   |
|------------------------|---|
| Dimensions (H x W x D) | 92.5 x 54.8 x 52.9 / 2348 x 1390 x 1345 mm  |
| Weight (total) lb/kg   | 8047 lb / 3650 kg (unpacked weight)   |
| IP rating              | IP55  |
| Cooling                | Liquid-cooled   |
| Battery chemistry      | Lithium-ion ferrophosphate (LFP)  |
| Safety features        | State-of-the-art safety features, including a fast stop, fire<br>detection and suppression system (solid aerosol), gas<br>detection (carbon monoxide), deflagration panels, lockable<br>disconnect switch, open door sensor, gas spring damper,<br>and sliding door lock. |

| Battery Container      |  |  |
|------------------------|--|--|
| Dimensions (H x W x D) | 114.1 x 95.9 x 238.5 in / 2896 x 2438 x 6058 mm  |  |
| Weight (total) lb/kg   | 36 tons  |  |
| IP rating              | IP55   |  |
| Cooling                | Liquid-cooled  |  |
| Battery chemistry      | Lithium-ion ferrophosphate (LFP)   |  |
| Safety features        | State-of-the-art safety features, including a fast stop,<br>fire detection and suppression system (solid aerosol),<br>gas detection (carbon monoxide), lockable disconnect<br>switch, open door sensor, gas spring damper, and sliding<br>door lock. |  |



# Vertiv<sup>™</sup> EnergyCore Grid DERMs

Fully scalable onsite control system for comprehensive control of Hybrid Power Assets.

### **Operations modes**

Automatic Dispatch, Manual Dispatch and HMI interface.

# System KPI's

- Real/Reactive Power, State of Charge, Battery Voltage, E-Stop, Node Status, and more.
- External Control Interface.
- SCADA and EMS are integrated, along with native Modbus TCP/IP.

# **Market dispatch**

Frequency dispatch, Demand Response, Peak Shaving, Black Start, and more.

# Vertiv<sup>™</sup> EMS

Vertiv Energy Management System (EMS) integrates power and energy into one common usable system.

# Forecasting

System can help achieve improved operations and energy efficiency.

# Optimization

Automatically control DER onsite assets to achieve the best possible outcome from grid services to renewable energy integration.

### Market interface and bidding

Work with System Aggregators and local markets to determine best possible times to perform grid interactions.

Integrate with Building Management Systems, ERP, Planned & Predictive Maintenance, and so on.

# Contact us to learn more about Vertiv EnergyCore Grid.



Vertiv.com | Vertiv Headquarters, 505 N Cleveland Ave, Westerville, OH 43082, USA

© 2025 Vertiv Group Corp. All rights reserved. Vertiv<sup>™</sup> and the Vertiv logo are trademarks or registered trademarks of Vertiv Group Corp. All other names and logos referred to are trade names, trademarks or registered trademarks of their respective owners. While every precaution has been taken to ensure accuracy and completeness here, Vertiv Group Corp. assumes no responsibility, and disclaims all liability, for damages resulting from use of this information or for any errors or omissions. Specifications, rebates and other promotional offers are subject to change at Vertiv's sole discretion upon notice.