

POWER OUTAGE REPORTER

September 2017



OVERVIEW

Power disruptions can occur anywhere, for a variety of reasons.


Listed here are some of the recent disruptions.

Remember, though most of the publicly reported events tend to happen outside of an organization's facility, there are many unreported problems happening every day inside a building.

Vertiv™ designs, builds and services critical infrastructure that enables vital applications for data centers, communication networks and commercial and industrial facilities. Formerly Emerson Network Power, Vertiv supports today's growing mobile and cloud computing markets with a portfolio of power, thermal and infrastructure management solutions including the ASCO®, Chloride®, Liebert®, NetSure™ and Trellis™ brands.

Contact us at VertivCo.com

Want to know more about the cost of downtime? [Read this paper from the Ponemon Institute](#)



DATE	AREA	IMPACT	REASON
9/1/2017	Southeast	20,000+	Harvey
9/1/2017	Hazelton, PA	3,258	Crash into utility pole
9/3/2017	Arlington, MA	Part of town	Fire on utility pole
9/4/2017	Toledo, OH	8,000	Storm
9/5/2017	Cortez, CO	Neighborhood	Microburst wind
9/5/2017	Grand Junction, CO	5,000	Wind storm
9/5/2017	Utah County	18,000	Weather
9/6/2017	Key West, IA	Part of town	Runaway semi-truck hits pole
9/6/2017	Fishers Island, CT	250	Transformer fire
9/6/2017	Central Maine	11,000	Storm
9/6/2017	Manchester, NH	1,800	Transformer failure
9/7/2017	Beverly, MA	Stuck in elevator	Tree falls on line
9/8/2017	No Kohala, HI	Area wide	Planned
9/9/2017	Florida	6,300,000	Irma
9/9/2017	Georgia	1,500,000	Irma
9/9/2017	South Carolina	270,000	Irma
9/9/2017	North Carolina	75,000	Irma
9/9/2017	Alabama	23,000	Irma
9/9/2017	Puerto Rico	1,300,000	Irma
9/11/2017	Santa Monica, CA	3,600	Backhoe cuts line
9/12/2017	Jamestown, ND	2,772	Truck accident
9/12/2017	Cathlamet, OR	Localized	Truck accident
9/12/2017	Nampa, ID	1,150	Truck accident
9/13/2017	Kirksville, MO	650	Raccoon chews wire
9/13/2017	Western, AK	4 towns	Equipment failure
9/14/2017	Reno, NV	4,400	Equipment failure
9/14/2017	Carson, NV	School closed	Equipment failure
9/14/2017	Central Maine	2,770	Substation failure
9/14/2017	Tulsa, OK	10,000	Equipment failure
9/14/2017	Little Rock, AR	58	Tree falls on line
9/14/2017	Crawford, NE	Area wide	Planned
9/15/2017	Edwardsville, IL	Criminal Justice Ctr	Utility service failure
9/15/2017	Springfield, MO	10,000	Substation fire
9/16/2017	Missoula, MT	>200	Snow on trees
9/16/2017	Mobile, AL	1,600	Lightning hits transformer
9/17/2017	West Seattle, WA	302	Equipment failure
9/18/2017	NYC, NY	Subway shutdown	Transformer failure
9/18/2017	Huntington, WV	300	Accident hits pole
9/18/2017	Murfreesboro, TN	1,300	Failed lightning arrestor
9/19/2017	West Palm Beach, FL	School closed	Equipment failure
9/19/2017	Gulf Coast	Oil platform closed	Unreported outage
9/20/2017	West Palm Beach, FL	Localized	Grid instability
9/20/2017	Biloxi, MS	130	Pole down by car accident
9/21/2017	Huron, SD	Part of city	Planned
9/21/2017	Cape Cod, MA	32,000	Jose storm

9/21/2017	Orange Cty, CA	5,700	Unknown
9/22/2017	Sheldon, IA	250	Tree on line
9/22/2017	Las Vegas, NV	2,300	Equipment failure
9/22/2017	Reynoldsburg, OH	13,000	Substation failure
9/22/2017	Providence, RI	1,000	Jose storm
9/22/2017	St Louis, MO	3,500	Substation failure
9/22/2017	Guilford Cty, NC	30	Crash into Utility pole
9/22/2017	Springdale, MO	3,900	Substation failure
9/23/2017	Gratiot, MO	4,900	Substation fire
9/24/2017	Holland, MI	2,000	Transformer failure
9/24/2017	Marcy, NY	4,000	Unknown
9/26/2017	San Angelo, TX	Localized	Unknown
9/26/2017	Watertown, SD	Part of city	Substation failure
9/26/2017	Dayton, OH	School closed	Fuse failure
9/26/2017	Tampa Bay, FL	37	Parachutist hits line
9/26/2017	Idaho Falls, ID	29	Squirrel
9/26/2017	Southwest, MS	2,000	Tree hits line
9/26/2017	Brooke Cty, WV	877	Auto accident
9/26/2017	Cookeville, TN	Part of city	Planned

* List may not be exhaustive. Impact is measured in the number of households/businesses affected, unless otherwise noted.

Total Power Protection from Desktop to Data Center

Liebert® GXT4™ UPS
500 - 10,000VA



Liebert EXM™ UPS
10 - 250kVA



Liebert EXL™ S1 UPS
1000 - 1200kVA/kW

