

Vertiv™ Cybex™ Secure DPHC Switch



Superior Security and Control at the Desktop NIAP Common Criteria Protection Profile for Peripheral Sharing Switch v.4.0 Certified

Overview

Vertiv™ Cybex™ secure DPHC switches are field-proven, secure KVM switching solutions with special support for government agencies and security conscientious organizations.

Features

- Designed for Common Criteria Protection Profile for Peripheral Sharing Device (PSD) v.4.0
- Universal video connectors - Supports either HDMI or DP on the same physical video input and output ports (DVI-D supported with HDMI-to-DVI-D cable)
- USB-C input port - Connect a USB-C computer using only a USB-C cable
- Unidirectional data flow of keyboard, mouse, video, and audio
- Isolated switch ports provide discrete processing paths to each computer
- Native video supports up to UHD 4K at 60 Hz
- Secure zero-lag KVM switching to computers on different security classifications
- Cursor Navigation Switching (CNS) seamlessly transitions keyboard and mouse control between computers when pressing the CTRL key and moving the cursor across screen borders
- Touch screen support
- Smart-card (CAC) or biometric readers for authentication on any attached computer*
- Eliminate the need for multiple hardware resources, such as monitors, keyboards, mice, and cables
- Button LEDs can be customized for enhanced channel identification
- Always-on active anti-tampering system, and heavy-duty tamper-resistant enclosure with holographic tamper evident seals

How It Works

The Vertiv™ Cybex™ Secure Desktop KVM is ideal for environments where monitoring and managing of multiple computers, covering various degrees of secure data is required. Through the USB-C input port, users now have the flexibility of connecting a USB-C computer using only a USB-C cable.

Security

Designed to meet the latest Protection Profile for Peripheral Sharing Devices version 4.0, users are receiving the most up to date technology in a secure KVM.

The Secure Desktop Matrix switch meets or exceeds these requirements with the following capabilities:

- Unidirectional Optical Data Diodes – Data can only flow in one direction
- Protected Video Display Emulators – Eliminates potential data leakage from display to computer
- Dedicated Peripheral Port (DPP) – Secure connection to external USB authentication devices*
- Active Intrusion Detection and Tamper-Evident Labels – Ensures hardware has not been compromised

Flexibility

The Cybex™ Desktop KVM switch provides users flexibility when it comes to video connection.

- Universal Video Port – Supports DVI-D, DP or HDMI connections
- Freeze DPP Channel – Independently locks DPP channel to a specific computer*
- Freeze Audio Channel – Independently locks the audio channel to a computer



* Select models



Benefits

- Universal video connectors to support DP, HDMI, and DVI-D
- Block unauthorized USB devices while allowing secure switching of smart card and biometric devices between computers
- Active intrusion detection and tamper-evident holographic labels prevent hardware from being compromised
- Vertiv patented keyboard lock status indication
- Eliminates the need for multiple peripheral devices
- Alleviate workspace clutter
- Prevents information leaks, transfer or crosstalk between adjacent ports and filters ultrasonic audio frequencies via unidirectional optical data diodes (UODD)

Technical Specifications

	SC840DPHC	SC845DPHC	SC940DPHC	SC945DPHC
Computers				
Ports	4	4	4	4
Video Type	1 - USB-C; 3 - 1 x DP/ HDMI Univ	1 - USB-C; 3 - 1 x DP/ HDMI Univ	1 - USB-C; 3 - 2 x DP/ HDMI Univ	1 - USB-C; 3 - 2 x DP/ HDMI Univ
Max resolution	UHD 4K (3840x2160) @ 60Hz			
Keyboard and Mouse	1 - Included in USB-C; 3 - 1 x USB 2.0 Type B			
DPP Analog Audio	1 - Included in USB-C; 3 - 1 x USB 2.0 Type B		1 - Included in USB-C; 3 - 1 x USB 2.0 Type B	
Analog Audio	1 x 3.5mm Speaker			
Console				
DP/HDMI Univ Video (1)	1 x DP/HDMI Univ	1 x DP/HDMI Univ	2 x DP/HDMI Univ	2 x DP/HDMI Univ
Keyboard and mouse	2 x USB 2.0 Type A			
DPP – USB 2.0 Type A	0	1	0	1
Analog Audio	1 x 3.5mm Speaker			
Physical				
Dimensions (WxDxH)	7.0 x 2.4 x 1.7 in 178 x 61 x 43 mm		7.0 x 2.4 x 2.2 in 178 x 61 x 56 mm	
Weight	1.0 lbs / 0.5 kg		1.5 lbs / 0.7 kg	
Mounting Options	Desk Mount - DMK-09			
Environmental Conditions				
Operating Temp	0 to 40C / 32 to 104 F			
Storage Temp	-20 to 60C / -4 to 140 F			
Humidity	0 to 80% RH, non-condensing			
Electrical Power				
AC Input Voltage	100 – 240V AC			
Power Supplies	1 x external, 1.5A Max			
Power Connector	Wall-mounted power supply with user-interchangeable localized plug blades.			
Regulatory				
Security Accreditation	Designed to meet NIAP Protection Profile for Peripheral Sharing Device v. 4.0 and Evaluation Assurance Level (EAL) 4+			
Regulatory Certifications	FCC class A, CE, TUV US, TUV Canada, RCM, VCCI			
Standard Product Warranty	3 Years; additional warranty terms available			
Design & Assembly	Huntsville, AL USA			

Vertiv™ Cybex™ Secure DPHC Switch

Computer Cables

Computer Video	Video Type	Length (ft / m)	Single Head		Dual Head	
			Audio/USB	Audio/USB/DPP	Audio/USB	Audio/USB/DPP
DP	DP-to-DP	6 / 1.8	CBL0102	CBL0104	CBL0106	CBL0108
		10 / 3.0	CBL0103	CBL0105	CBL0107	CBL0109
Mini DP	mDP-to-DP	10 / 3.0		CBL0194		CBL0195
HDMI	HDMI-to-HDMI	6 / 1.8	CBL0110	CBL0112	CBL0114	CBL0116
		10 / 3.0	CBL0111	CBL0113	CBL0115	CBL0117
DVI-D	HDMI-to-DVI-D	6 / 1.8	CBL0162	CBL0164	CBL0166	CBL0168
		10 / 3.0	CBL0163	CBL0165	CBL0167	CBL0169

Console Video Only Cables (6ft / 1.8m)

Display Video	Cable Type	Display Video
DP	DP-to-DP	CBL0188
HDMI	HDMI-to-HDMI	CBL0189
DVI-D	HDMI-to-DVI-D (DVI-D display to HDMI KVM)	CBL0191

Console Video Only Cables (6ft / 1.8m)

Part Number	Description	Usage
CBL0185	10ft USB-C (PC) to Single Display DP (KVM) adapter cable +ETH +PWR	Connect USB-C single-head computer to DP/USB KVM port, provides Ethernet and USB-C PD power connections
CBL0186	10ft USB-C (PC) to Dual Display DP (KVM) adapter cable +ETH +PWR	Connect USB-C dual-head computer to DP/USB KVM port, provides Ethernet and USB-C PD power connections
CBL0187	10ft USB-C (PC) to USB-C (KVM) adapter cable +ETH +PWR	Connect USB-C computer to DPHC USB-C port, provides Ethernet and USB-C PD power connections
AFP0004	4-Port Remote Active Front Panel	Remotely select computer ports on 4-port KVM
AFP0008	8-Port Remote Active Front Panel	Remotely select computer ports on 8-port KVM



Vertiv.com | Vertiv Headquarters, 1050 Dearborn Drive, Columbus, OH, 43085, USA

© 2020 Vertiv Group Corp. All rights reserved. Vertiv™ and the Vertiv logo are trademarks or registered trademarks of Vertiv Group Corp. All other names and logos referred to are trade names, trademarks or registered trademarks of their respective owners. While every precaution has been taken to ensure accuracy and completeness here, Vertiv Group Corp. assumes no responsibility, and disclaims all liability, for damages resulting from use of this information or for any errors or omissions. Specifications, rebates and other promotional offers are subject to change at Vertiv's sole discretion upon notice.